



# PRODUCT BROCHURE

VERSION 1.0







# > WELCOME



**SALLY LOVE**  
GROUP BUSINESS MANAGER



**To our valued partners — resellers, rental companies, and customers across the UK and beyond — thank you.** Your continued trust in Abtech Safety inspires everything we do. Whether you're specifying advanced rescue systems or sourcing specialist Category III PPE for high-risk environments, we truly value your ongoing partnership and support.

In 2025, we're excited to introduce new additions to our product range, including CRESTO harnesses, lanyards, and slings, along with RESQ evacuation devices. Developed by the expert R&D team at Cresto Safety, these solutions combine innovation and reliability to meet the daily demands of working at height.

We're also proud to have moved into a larger facility in Deeside, Wales — providing increased space to hold stock, enhance our servicing capabilities, and assemble complete systems for operational efficiency. The site will also soon include a dedicated training area, created in collaboration with Outreach Rescue.

As always, our sales and customer service team are on hand to talk through anything in this brochure.

If you need help with product specifications, placing an order, or arranging servicing — simply get in touch.

We're here to support you.

*Sally Love*

**SALLY LOVE**  
Group Business Manager, Abtech Safety



# > ABOUT ABTECH SAFETY

## RELIABLE EQUIPMENT. RESPECTED BRANDS.

At Abtech Safety, we specialise in providing trusted safety and rescue equipment to the businesses that keep industry moving. Since 1991, we've supported PPE providers and resellers with certified, dependable solutions for height and confined space work.

## WHY RESELLERS CHOOSE ABTECH

We design, manufacture and supply products that are easy to stock, simple to service, and trusted on site. Our in-house brands — SLIX stretchers, TORQ fall arresters, and T3 tripods — are built for durability and backed by the certifications your customers need (CE, UKCA, EN standards).

We also supply trusted, high-quality products from leading names like Tuff Built and Cresto Safety, so you can offer a full portfolio with confidence.

## BUILT FOR RENTAL & RESALE

We understand your world — fast turnaround, high usage, and strict compliance demands. That's why we prioritise:


- **Product consistency** across batches
- **Quick access to manuals and certification documents**
- **Ongoing product support** from our technical team
- **Training and servicing advice** for your team or your customers

We're not just here to sell — we're here to make your job easier.

## PART OF CRESTO ALLIANCE

Abtech Safety is proud to be part of Cresto Alliance — a global network of safety experts working together to improve solutions, share insights, and raise industry standards. As an Abtech customer, you have access to some of the most innovative rescue and fall protection solutions in the world, supported by a team that understands your business.

## CRESTO ALLIANCE



## SUPPLYING CONFIDENCE

When you partner with Abtech Safety, you benefit from more than products you can count on — you gain a dependable supply chain, clear support, and a name your customers already trust.

Together, let's keep safety simple, compliant, and ready to go.



# > MEET THE TEAM



**IAN JONES**  
Group MD

Ian founded Abtech in 1991 and still leads from the front. He's big on safety standards, passionate about the team, and never too far from his guitar.



**SALLY LOVE**  
Group Business Manager

From sales to senior leadership, Sally's done it all. She's NEBOSH-qualified, big on team culture, and once built a bar in her garden to house an impressive collection of gin.



**DANNY RAMSAY**  
Sales Director

From work experience to Sales Director, Danny's been with Abtech since 2003.



**ANDREW YATES**  
Technical Account Manager

With a background in the military, and emergency response, Andy brings real-world know-how.



**SOPHIE GILRUTH**  
Office Administrator

With a decade of hands-on experience at Abtech, Sophie knows our kit inside out.

# > QUALITY & COMPLIANCE

## INTERNATIONAL STANDARDS & QUALITY ASSURANCE

Abtech Safety believe in providing quality. It's built into everything we do.

We operate a Quality Management System which complies with the requirements of ISO 9001:2015, ensuring consistent performance, customer satisfaction, and continuous improvement across our operations. This internationally recognised standard helps us meet both regulatory requirements and the real-world needs of our partners.

All Abtech-manufactured PPE products also fully comply with PPE Regulation (EU) 2016/425, overseen by our notified body, SATRA Quality Assurance.

EN 353-2	EN 354
EN 355	EN 358
EN 360	EN 361
EN 362	EN 795
EN 813	EN 1496
EN 1497	EN 1891-A
EN 12278	EN 12492

EN STANDARDS

## PRODUCT CONFORMANCE: CE & UKCA MARKING

Quality and compliance go hand in hand at Abtech Safety. All PPE we manufacture carries the **CE** and **UKCA** marks, confirming that our products meet the legal requirements for health, safety, and environmental protection in both the UK and the EU.

These certifications reflect **rigorous third-party testing**, ongoing quality control, and full compliance with **PPE Regulation (EU) 2016/425**. Certification is issued by **SATRA (Notified Body ID 2777)**, ensuring every product meets relevant European Standards.

For our customers, this means complete confidence in the safety, reliability, and legal conformity of every item supplied.

### Working Together to Raise Safety Standards

At Abtech Safety, we're proud to collaborate with industry partners who share our mission to improve safety at height and in confined spaces. We're an active member of the **Work at Height Safety Association (WAHSA)** – the UK's lead body representing manufacturers, installers, and users of fall protection and rescue equipment. Through this partnership and others, we help shape safety standards and stay at the forefront of industry developments.



## PROUD TO MANUFACTURE IN THE UK

Abtech Safety is a member of Made in Britain, an organisation that recognises and supports British manufacturers. This membership reflects our commitment to producing high-quality safety equipment here in the UK.

Choosing Abtech means choosing:

- **UK-manufactured equipment**
- **Consistent quality and craftsmanship**
- **Reliable lead times and service**
- **Support for local jobs and industry**

When you see the Made in Britain mark, you can trust that our products are built with care, tested to rigorous standards, and ready to perform when it matters most.





# > ORDERING EQUIPMENT

## PLACING ORDERS

All orders must be submitted in writing:

Email:	sales@abtechsafety.com
Post:	Abtech Safety Ltd Unit 38, Drive B, First Avenue, Deeside Industrial Park, Flintshire, CH5 2NU
Office hours:	Monday to Thursday: 08:30 – 16:30 Friday: 08:30 – 14:00

## ACCOUNT REQUIREMENTS

The simplest way to order is with an active Abtech Safety customer account. Contact our team to set up yours.

- If you don't have an account, request a credit application or a **pro forma invoice**.
- All pro forma orders must be paid in full before dispatch.

## MINIMUM ORDER VALUES

- UK orders: £35.00 before carriage and VAT
- Export orders: £250.00 (Ex Works)

## COLLECTIONS

We do not operate a trade counter, but collections can be arranged. Please note on your purchase order if you'd like to collect, and we'll contact you to confirm.

## DELIVERY INFORMATION

- Orders received **before 12:00 PM** are dispatched for **next working day delivery (by 17:30)**
- Timed deliveries are available at an additional charge (subject to availability and account status)
- All deliveries depend on product availability and account standing

## PAYMENT DETAILS

For account holders, payment instructions will be clearly specified on your invoice. If you have any questions, our team will be happy to assist.



VAT No. 595703115  
Co. Reg 2656103

# > TABLE OF CONTENTS

## 12 TRIPODS

Two Person Tripods, T3 Kits, RT3 Kits,  
Brackets & Accessories

## 22 FALL ARRESTERS

Wire Fall Arresters, Webbing Fall Arresters,  
Fall Arrest Winches, Fall Arrest Lanyards

## 31 WINCHES

Personnel & Materials Winches

## 33 STRETCHERS

Rescue Stretchers, Stretcher Kits,  
Spinal Splints, Stretcher Accessories

## 40 DAVITS

Davit Arms, Davit Bases, Barrel Mounts,  
Davit Brackets, Davit Systems, Davit Kits

## 50 HARNESSES

Full Body Harnesses, Harness Kits,  
Harness Accessories

## 55 RESCUE & EVACUATION

Evacuation Devices, Rescue Kits

## 59 ROPE RIGGING

Ropes, Anchors, Pulleys,  
Rope Devices, Rope Accessories

## 66 LANYARDS & SLINGS

Work Positioning, Anchor Slings,  
Tool Lanyards

## 72 CONNECTORS

Maillons, Karabiners, Hooks

## 76 ACCESS SOLUTIONS

## 80 BAGS & ACCESSORIES

## 88 TERMS & CONDITIONS


## 93 PRODUCT INDEX





# > TRIPODS

Discover the Tripod T3 series, the intersection of cutting-edge engineering and unparalleled functionality. Ideal for rescue missions, working at height, and confined space projects, both the Tripod T3 and RT3 models merge innovation with real world application. Experience heightened safety paired with uncompromising ease of use.



TRIPOD T3®

3 overhead pulleys for  
up to 11mm rope

3 underslung  
attachment points



Telescopic legs can be  
individually adjusted for  
uneven ground

Rubber lined feet



TRIPOD | TWO PERSON TRIPODS


TWO PERSON TRIPOD	T3
-------------------	----

Versatile aluminium tripod designed for confined space entry, supporting up to two users with a maximum load of 250kg.

**Conformance:**  
EN 795 (Type B)

- Supports up to two users with a maximum load of 250kg
- Telescopic legs adjustable for varied heights and terrains
- Three overhead pulleys compatible with up to 11mm ropes
- Six anchor points for versatile equipment attachment

£898.73




TWO PERSON RESCUE TRIPOD	RT3
--------------------------	-----

Versatile aluminium rescue tripod with six anchor points, designed for confined space entry and casualty retrieval operations.

**Conformance:**  
EN 795 (Type B)

- Six anchor points for multiple attachment configurations
- 360-degree swivelling eyebolts underslung for easy access
- Telescopic legs adjustable for diverse operational needs
- Detachable legs for convenient transportation

£1,012.06




TRIPOD | T3 KITS

T3 CONFINED SPACE KIT 1	CST1KIT
-------------------------	---------

Confined space entry kit featuring the T3 Tripod, 15m TORQ Fall Arrest Winch, and necessary mounting bracket for safe operations.

**Conformance:**  
EN 795 (Type B), EN 360, EN 1496

£1,943.15




T3 CONFINED SPACE KIT 2	CST2KIT
-------------------------	---------

Confined space rescue kit including T3 Tripod, 15m fall arrest winch, tripod bracket, and Cresto 1154R harness.

**Conformance:**  
EN 360, EN 361, EN 795 (Type B), EN 1496, EN 1497

£2,005.95




T3 CONFINED SPACE KIT 3	CST3KIT
-------------------------	---------

Confined space entry featuring the T3 Tripod, 30m TUFF Materials Winch, and mounting bracket for lifting operations.

**Conformance:**  
EN 795 (Type B)

£1,971.89





**T3 CONFINED SPACE KIT 4**

**CST4KIT**

Confined space entry and rescue kit featuring the T3 Tripod, 30m AB30RT Fall Arrest Winch, 30m TUFF Personnel winch, and tripod brackets for vertical operations.

**Conformance:**  
EN 795 (Type B), EN 360, EN 1496

**£4,655.50**



**T3 CONFINED SPACE KIT 5**

**CST5KIT**

Confined space entry and rescue kit with T3 Tripod, 30m TUFF Personnel Winch, and tripod bracket — ideal for lifting and lowering personnel safely.

**Conformance:**  
EN 795 (Type B), EN 1496

**£3,158.80**



**T3 CONFINED SPACE KIT 6**

**CST6KIT**

Confined space rescue kit with T3 Tripod, 30m TUFF Personnel Winch, mounting bracket, and CRESTO 1154R harness.

**Conformance:**  
EN 361, EN 795 (Type B), EN 1496, EN 1497

**£3,221.59**



**T3 CONFINED SPACE KIT 7**

**CST7KIT**

Confined space fall arrest kit with T3 Tripod, AB30RT winch, and tripod mounting bracket

**Conformance:**  
EN 795 (Type B), EN 360, EN 1496

**£2,498.96**



**T3 CONFINED SPACE KIT 8**

**CST8KIT**

Confined space kit with T3 Tripod, TORQ winch, bracket, and CRESTO 1154R Active Rescue harness.

**Conformance:**  
EN 360, EN 361, EN 795 (Type B), EN 1496, EN 1497

**£2,561.76**




RT3 CONFINED SPACE KIT 1

CSRT1KIT

Confined space rescue kit featuring the RT3 Rescue Tripod, 15m TORQ Fall Arrest Winch, and mounting bracket for secure operations.

Conformance:  
EN 795 (Type B), EN 360, EN 1496

£2,053.15



RT3 CONFINED SPACE KIT 2

CSRT2KIT

Confined space rescue kit featuring RT3 tripod, 15m TORQ fall arrest winch, mounting bracket, and Cresto 1154R rescue harness.

Conformance:  
EN 360, EN 361, EN 795 (Type B), EN 1496, EN 1497

£2,115.95




RT3 CONFINED SPACE KIT 3

CST3KIT

Confined space entry kit featuring the RT3 Tripod, 30m TUFF Materials Winch, and mounting bracket — designed for safe and efficient delivery and retrieval operations in vertical entry scenarios.

Conformance:  
EN 795 (Type B)

£2,081.89




RT3 CONFINED SPACE KIT 4

CSRT4KIT

Confined space entry and rescue kit featuring the RT3 Tripod, 30m AB30RT Fall Arrest Winch, and mounting brackets—designed for safe and efficient operations in vertical entry scenarios.

Conformance:  
EN 795 (Type B), EN 360, EN 1496

£4,765.50




RT3 CONFINED SPACE KIT 5

CSRT5KIT

Confined space entry and rescue kit featuring the RT3 Tripod, 30m TUFF Personnel Winch, and mounting bracket—designed for safe and efficient operations in vertical entry scenarios.

Conformance:  
EN 795 (Type B), EN 1496

£3,268.80




RT3 CONFINED SPACE KIT 6

CSRT6KIT


Complete rescue kit with RT3 Tripod, 30m TUFF Personnel Winch, mounting bracket, and Cresto 1154R rescue harness.


Conformance:  
EN 361, EN 795 (Type B), EN 1496, EN 1497

£3,331.59






RT3 CONFINED SPACE KIT 7	CSRT7KIT
<p>Confined space fall arrest and rescue kit with RT3 Tripod, AB30RT winch, and tripod mounting bracket.</p> <p><b>Conformance:</b> EN 795 (Type B), EN 360, EN 1496</p> <p><b>£2,608.96</b></p>	

RT3 CONFINED SPACE KIT 8	CSRT8KIT
<p>Confined space kit with RT3 Tripod, AB30RT winch, bracket, and 1154R Cresto rescue harness.</p> <p><b>Conformance:</b> EN 360, EN 361, EN 795 (Type B), EN 1496, EN 1497</p> <p><b>£2,671.76</b></p>	

## TRIPOD | BRACKETS & ACCESSORIES

AB30RT TO TRIPOD BRACKET	T05T-30
<p>Robust mounting bracket designed to securely attach the AB30RT 30m Fall Arrest Recovery Winch to T3 or RT3 tripods, ensuring reliable performance in confined space operations.</p> <p><b>Conformance:</b> EN 795 (Type B)</p> <p><b>£160.68</b></p>	

AB15RT TO TRIPOD BRACKET	T05T
<p>Mounting bracket for attaching the 15m TORQ fall arrest winch (AB15RT) to T3 or RT3 tripods for safe confined space operations.</p> <p><b>Conformance:</b> EN 795 (Type B)</p> <p><b>£122.23</b></p>	

TRIPOD LEG CLAMP	ALKO
<p>Durable and easy-to-install clamp designed to attach winches to T3 and RT3 tripods, enhancing stability and safety during confined space operations.</p> <p><b>Conformance:</b> EN 795 with compatible tripod brackets</p> <p><b>£24.71</b></p>	

TUFF WINCH TO TRIPOD BRACKET	T05TW2
<p>Robust mounting bracket designed to securely attach TUFF winches to T3 and RT3 tripods, ensuring reliable performance in confined space operations.</p> <p><b>Conformance:</b> EN 795 (Type B)</p> <p><b>£188.27</b></p>	

TRIPOD CARRY BAG	T07
<p>Tailor-made carry bag designed to securely store and transport the T3 Tripod, enhancing convenience and protection during confined space operations.</p> <p><b>Conformance:</b> Not classified as PPE</p> <p><b>£103.55</b></p>	

RESCUE TRIPOD CARRY BAG	RT07
<p>Purpose-built carry bag designed specifically for the RT3 Two-Person Rescue Tripod, ensuring secure storage and easy transportation between rescue operations.</p> <p><b>Conformance:</b> Not classified as PPE</p> <p><b>£112.96</b></p>	





# > FALL ARRESTERS

Abtech Safety provides a variety of meticulously curated Fall Arrest solutions to encompass a broad spectrum of top-tier safety solutions, from retractable type fall arresters and winches to rescue devices and specialist systems. Leading our line-up is the TORQ series of retractable type fall arresters-including TORQ Max, TORQ, TORQ Lite, and TORQ Micro. This range has been engineered to offer certified protection, ease of use, and durability in a variety of height-work scenarios. Browse our range of solutions and empower your work at heights with unparalleled safety and confidence.



**TORQ®**

**Brackets to attach  
to T3 tripod and tuff  
davit range**

**150kg Rated Winch  
Capacity**

**Integrated carry handle  
on brackets**

**Swivel Eye for hanging  
applications etched with  
serial number**



FALL ARRESTERS | WIRE FALL ARRESTERS

TORQ LITE RETRACTABLE FALL ARRESTER (6M)

ABRL06

Compact and durable 6-metre retractable fall arrester featuring a galvanised steel cable, designed for reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 360

£329.44

TORQ

TORQ LITE RETRACTABLE FALL ARRESTER (10M)

ABRL10

10-metre retractable fall arrester with galvanised steel cable, designed for reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 360

£390.91

TORQ

TORQ LITE RETRACTABLE FALL ARRESTER (20M)

ABRL20

20-metre retractable fall arrester with galvanised steel cable, designed for reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 360

£572.73

TORQ

TORQ RETRACTABLE FALL ARRESTER (15M)

AB15T

15-metre retractable fall arrester with galvanised steel cable, designed for reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 360, ANSI Z359.1

£638.65

TORQ

TORQ MAX RETRACTABLE FALL ARRESTER (30M)

AB30T

30-metre retractable fall arrester with galvanised steel cable, designed for reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 360

£676.54

TORQ

FALL ARRESTERS | WEBBING FALL ARRESTERS

TORQ LITE WEBBING FALL ARRESTER (3M)

ABRL03W

3-metre retractable fall arrester with polyester webbing, designed for reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 360

£125.74

A red retractable fall arrester with a circular housing and a metal hook at the bottom.

TORQ LITE WEBBING FALL ARRESTER (6M)

ABRL06W

6-metre retractable fall arrester with polyester webbing, designed for reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 360

£145.09

A red retractable fall arrester with a circular housing and a metal hook at the bottom.

TORQ MICRO 2M FALL ARRESTER, SWIVEL HOOK

H2.0-9666

Compact 2m self-retracting webbing fall arrester with swivel hook connector and built-in energy absorber.

Conformance:  
EN 360, VG11.060, VG11.062

£206.24

A black self-retracting fall arrester with a swivel hook at the top and a metal connector at the bottom.

TORQ MICRO 2M FALL ARRESTER, LARGE HOOK

H2.0-9680

Retractable 2m Dyneema® webbing fall arrester with scaffold hook and integrated shock absorber.

Conformance:  
EN 360, VG11.060, VG11.062

£208.71

A black retractable fall arrester with a large metal scaffold hook at the top and a metal connector at the bottom.

TORQ TWIN MICRO 2M FALL ARRESTER, LARGE HOOKS

H2.0-T-9680

Retractable 2m Dyneema® webbing fall arrester with oversized scaffold hook and integrated shock absorber.

Conformance:  
EN 360, VG11.060, VG11.062

£436.98

A black twin retractable fall arrester with two large metal scaffold hooks at the top and two metal connectors at the bottom.

TORQ MICRO 3.5M FALL ARRESTER, LARGE HOOK

H3.5-9680

Compact and lightweight 3.5-metre retractable fall arrester with Dyneema® webbing and large scaffold hook, designed for reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 360, VG11.060, VG11.062

£228.44

A black retractable fall arrester with a large metal scaffold hook at the top and a metal connector at the bottom.



FALL ARRESTERS | FALL ARREST WINCHES



TORQ FALL ARREST WINCH (15M)

AB15RT

15-metre retractable fall arrest device with integrated winch, designed for reliable fall protection and efficient rescue in both working at height and confined space scenarios.

Conformance:  
EN 360, EN 1496 Class A & B, ANSI Z359.1

£941.81



TORQ MAX FALL ARREST WINCH (30M)

AB30RT

30-metre retractable fall arrest winch with galvanised steel cable, designed for reliable fall protection and rescue operations in various working-at-height scenarios.

Conformance:  
EN 360, EN 1496

£1,464.79



FALL ARRESTERS | FALL ARREST LANYARDS

CRESTO CORE SINGLE FALL ARREST LANYARD (SOFT LOOP)

1505

1.7-metre single-leg fall arrest lanyard with soft loops and integrated energy absorber, designed for reliable fall protection in working-at-height scenarios.

Conformance:  
EN 355

£39.60



CRESTO CORE SINGLE FALL ARREST LANYARD WITH HOOK

1505H

Durable single-leg fall arrest lanyard with integrated energy absorber and scaffold hook, designed for reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 354, EN 355

£78.30



CRESTO CORE SINGLE-FLEX FALL ARREST LANYARD

1507H

1.8-metre single-leg fall arrest lanyard with flexible webbing, integrated energy absorber, and 60mm scaffold hook, designed for enhanced mobility and reliable fall protection in various working-at-height scenarios.

Conformance:  
EN 355

£85.50




CRESTO CORE TWIN-FLEX FALL ARREST LANYARD

1508H

Twin-leg fall arrest lanyard with flexible webbing, integrated energy absorber, and 60mm scaffold hooks, designed for continuous fall protection during transitions at height.

Conformance:  
EN 355

£125.10



## CRESTO CORE SINGLE EDGE ROPE FALL ARREST LANYARD

1503H

CRESTO®

Single-leg fall arrest lanyard with 12mm flexible rope and integrated energy absorber, designed for reliable fall protection in environments with sharp edges.

Conformance:  
EN 355, PPE-R/11.074

£112.50



## CRESTO CORE TWIN EDGE ROPE FALL ARREST LANYARD

1504H

CRESTO®

Twin-leg fall arrest lanyard with 12mm flexible rope and integrated energy absorber, designed for reliable fall protection in environments with sharp edges.

Conformance:  
EN 355, PPE-R/11.074 V3

£161.10



## MINISHOCK CUT RESISTANT FALL ARREST LANYARD

1.75CR

Lightweight 1.75m fall arrest lanyard featuring a heat- and cut-resistant Technora® braid rope, designed for enhanced safety in extreme environments.

Conformance:  
EN 355, EN 362, EN 1891 (Type A)

£196.25



# > WINCHES



Whether you're involved in rescue operations, maintenance tasks, or confined space projects, Abtech Safety have a winch that ticks every box. Engineered for heavy-duty challenges, these devices seamlessly pair with the T3 Tripods and our range of Tuff Built davit systems thanks to specialist brackets, designed to ensure a secure fit. Say goodbye to hauling headaches Abtech Safety has you covered.





WINCHES | PERSONNEL & MATERIALS WINCHES

For Fall Arrest Winches turn to page 28.

TUFF PERSONNEL WINCH (30M)

60005

Versatile 30-metre personnel winch designed for confined space entry, rescue operations, and work positioning. Offers an 11:1 mechanical advantage for smooth and efficient operation.

Conformance:  
EN 795, EN 1496

£2,103.71

A black and silver personnel winch with a coiled rope and a hook, mounted on a wall. The TUFF BUILT logo is visible in the top right corner.

TUFF PERSONNEL WINCH (45M)

60011

Robust 45-metre personnel winch designed for confined space entry, rescue operations, and work positioning, offering a high weight capacity and efficient mechanical advantage.

Conformance:  
EN 1496

£3,199.63

A black and silver personnel winch with a coiled rope and a hook, mounted on a wall. The TUFF BUILT logo is visible in the top right corner.

TUFF MATERIALS WINCH (30M)

60257

Robust 30-metre materials winch designed for lifting loads up to 315kg, featuring a high mechanical advantage and compatibility with Abtech Safety's T3 tripods and TUFF davit systems.

Conformance:  
Not classified as PPE

£973.16

A red and silver materials winch with a coiled rope and a hook, mounted on a wall. The TUFF BUILT logo is visible in the top right corner.



> STRETCHERS

At Abtech Safety, we're committed to elevating safety and efficiency in the most critical moments. Our Rescue and Evacuation solutions, headlined by the pioneering SLIX® stretcher range, are engineered for real-world challenges, ensuring readiness, versatility, and utmost care in rescue operations. From the adaptable SLIX 100 Rollable Rescue Stretcher to the SLIX 100XL for bariatrics, our stretchers cater to diverse needs with ease and precision. Complementing the SLIX® series, we offer Cresto Safety's robust RESQ RED Pro X and the compact Smartline X. These specialised systems demonstrate our commitment to innovative, user-friendly solutions. Each product is a testament to our dedication to provide Rescue workers with the right tools, technology, and tactical superiority.





Reinforced eyelets for horizontal lifting

Spinal splint attachment points

Colour coded straps

Reinforced eyelets for vertical lifting

Evenly distributed carry handles

Smooth, draggable material

Webbing loop for tag line or guide ropes

## STRETCHERS | RESCUE STRETCHERS


### SLIX ROLLABLE RESCUE STRETCHER

**SLIX100**

Flexible and durable roll-up stretcher for confined space and general rescue, designed for vertical and horizontal lifting.

Conformance:  
MDR 2017/745

£649.52



### SLIX ROLLABLE BARIATRIC RESCUE STRETCHER

**SLIX100XL**

Extra-wide roll-up stretcher for bariatric rescue. Additional lifting eyes for even distribution of weight.

Conformance:  
MDR 2017/745

£1,028.47



### SLIX ROLLABLE HALF RESCUE STRETCHER

**SLIXHALV**

Designed for 'arms out' use, it includes groin straps and a head pocket for extra casualty security

Conformance:  
MDR 2017/745

£589.86



### SLIX RAPID RESPONSE STRETCHER

**SLIXRR**

Ideal for slopes and confined spaces, SLIXRR is built for fast evacuation with a simple load-and-drag design. Suitable for mass casualty situations.

Conformance:  
MDR 2017/745

£464.14



### BASKET STRETCHER

**ST/044**

Rigid basket stretcher with lifting points and built-in runners for rope, hand, or helicopter evacuation.

Conformance:  
Not classified as PPE

£1,042.71





STRETCHERS | STRETCHER KITS



SLIX RESCUE STRETCHER KIT

SLIX100KIT

A compact and robust rescue stretcher kit designed for confined space and general rescue operations, featuring a rollable stretcher, lifting strops, and a carry bag.

Conformance:  
MDR 2017/745, EN 358

£752.60



SLIX BARIATRIC RESCUE STRETCHER KIT

SLIX100XLKIT

A bariatric rescue stretcher kit designed for the transport and evacuation of clinically obese individuals, featuring a wider stretcher, lifting strops, and a carry bag.

Conformance:  
MDR 2017/745, EN 358

£1,201.56




ROLLABLE RESCUE STRETCHER

RS100

A versatile rescue stretcher kit suitable for various rescue applications, including confined space, vertical, and horizontal evacuations, featuring a rollable stretcher and comprehensive accessories.

Conformance:  
Not classified as PPE

£756.85



STRETCHERS | SPINAL SPLINTS

SLIX ROLLABLE RESCUE STRETCHER WITH SPINAL SPLINT

SLIX50COM



A versatile rollable rescue stretcher designed for confined space operations, featuring an integrated spinal splint and optional articulated skirt for enhanced patient protection.

Conformance:  
MDR 2017/745

£1,286.86

SLIX SPINAL SPLINT

SLIXSS




A compact and versatile spinal splint designed for secure immobilisation during patient extrication, compatible with standard cervical collars.

Conformance:  
MDR 2017/745

£571.24

SPINAL SPLINT

EFS102



An extrication spinal fixation device designed for immobilising and securing the spine during patient transport, featuring colour-coded straps for efficient application.

Conformance:  
Not classified as PPE

£278.25

SPINAL SPLINT WITH FLOTATION AID

EFS102/2







A spinal splint equipped with a removable flotation insert, designed for immobilising and transporting casualties during water rescues.


Conformance:  
Not classified as PPE


£339.46

STRETCHERS | STRETCHER ACCESSORIES

<b>VERTICAL &amp; HORIZONTAL LIFTING BRIDLES FOR SLIX100</b>	<b>SLIXVHH</b>
	
A four-point lifting bridle designed for vertical and horizontal evacuation using the SLIX100 stretcher.	Conformance: EN 358
£100.22	

<b>VERTICAL LIFTING BRIDLES FOR SLIX100XL</b>	<b>SLIXVHXL</b>
	
A vertical lifting bridle designed for the SLIX100XL bariatric stretcher, enabling safe vertical evacuation.	Conformance: EN 358
£100.22	

<b>HORIZONTAL LIFTING BRIDLES FOR SLIX100XL</b>	<b>SLIXHHXL</b>
	
A horizontal lifting bridle designed for the SLIX100XL stretcher, enabling safe horizontal evacuation.	Conformance: EN 358
£100.22	


<b>ADJUSTABLE STRETCHER POSITIONING STROPS</b>	<b>ABSS/407</b>
	
Adjustable positioning strops for stretcher orientation control during lifting operations.	Conformance: EN 358
£240.85	

<b>SLIX WIRE STRETCHER ANCHOR STROPS</b>	<b>SLIXWS</b>
	
Wire anchor strops designed for use with SLIX stretchers in confined spaces with limited headroom.	
Conformance: EN 795 (Type B)	
£87.08	

<b>SLIX CARRY BAG</b>	<b>SLIXBAG</b>
	
Durable roll top carry bag designed to transport and store a variety of SLIX stretchers, including SLIX100, SLIX50COM, SLIXHALV, SLIX100XL.	
Conformance: Not classified as PPE	
£101.40	


<b>SLIXRR CARRY BAG</b>	<b>SLIXRRBAG</b>
	
Compact carry bag for transporting and storing the SLIXRR Rapid Response Stretcher.	
Conformance: Not classified as PPE	
£72.85	





# > DAVITS

Whether you're focused on fall protection, work positioning, rescue operations, confined space entry, or even material handling, look no further. Work positioning becomes effortless, and confined space entry and retrieval comply with international standards. For those situations where installing a personal fall arrest system isn't practical, this davit arm, with a compatible base and winch, safeguards climbers while ascending structures. Browse the Tuff Built davit systems, and make every ascent, every descent, and each task a secure success.



**Extendable reach with  
overload protection**

**Lightweight aluminium  
for easy transportation**

**Brackets to  
mount winches**



DAVITS | DAVIT ARMS

<div>PRO-3 UPPER DAVIT ARM (SMALL)</div> <div>30104</div> <div>A lightweight orange upper davit arm with a grey joint and a hook at the end.</div> <div>Lightweight upper davit arm with 71cm reach and height adjustable from 117cm to 142cm for confined space access and rescue.</div> <div>Conformance: EN 795 (Type B)</div> <div>£984.45</div>	<div>PRO-3 UPPER DAVIT ARM (LARGE)</div> <div>30105</div> <div>A larger orange upper davit arm with a grey joint and a hook at the end.</div> <div>Upper davit arm with 71cm reach and extended height range from 147cm to 170cm, suited for elevated confined space applications.</div> <div>Conformance: EN 795 (Type B)</div> <div>£1,312.61</div>
--	---

<div>PRO-3 LOWER DAVIT MAST (SMALL)</div> <div>30108</div> <div>A vertical orange davit mast base section.</div> <div>102cm davit mast base section designed to support Pro-3 Series upper arms in confined space applications.</div> <div>Conformance: EN 795 (Type B)</div> <div>£793.03</div>	<div>PRO-3 LOWER DAVIT MAST (LARGE)</div> <div>30109</div> <div>A vertical orange davit mast base section.</div> <div>132cm mast for Pro-3 davit systems, offering increased clearance for elevated confined space rescue tasks.</div> <div>Conformance: EN 795 (Type B)</div> <div>£854.56</div>
--	---

DAVITS | DAVIT BASES

<div>DAVIT FLOOR MOUNT BASE</div> <div>30031</div> <div>A grey floor mount base with a central vertical pipe and a circular base plate.</div> <div>Surface-mounted davit base suitable for various floor types.</div> <div>Conformance: EN 795 (Type B)</div> <div>£524.23</div>	<div>4-POINT DAVIT WALL MOUNT BASE</div> <div>30032</div> <div>A grey wall mount base with a central vertical pipe and four mounting points.</div> <div>Wall-mounted davit base with 4 fixing points for secure installation.</div> <div>Conformance: EN 795 (Type B)</div> <div>£478.91</div>
<div>FLUSH FLOOR MOUNT BASE (FRESH CONCRETE)</div> <div>30023</div> <div>A grey flush floor mount base with a circular top plate and a central vertical pipe.</div> <div>Flush-mounted davit base designed for installation in freshly poured concrete surfaces.</div> <div>Conformance: Engineering Calculation</div> <div>£489.37</div>	<div>FLUSH FLOOR MOUNT BASE (EXISTING CONCRETE)</div> <div>30021</div> <div>A grey flush floor mount base with a circular top plate and a central vertical pipe.</div> <div>Flush-mounted davit base designed for installation in existing concrete surfaces.</div> <div>Conformance: EN 795 (Type B)</div> <div>£489.37</div>




DAVIT BASE SLEEVE CAP

30019

Protective cap designed to cover and protect davit base sleeves when not in use.

Conformance:  
Not classified as PPE

£47.93



PRO-3 COUNTERWEIGHT DAVIT BASE

30073

Portable counterweight base designed for Pro-3 davit systems, offering flexible, freestanding fall protection without permanent installation.

Conformance:  
EN 795 (Type B)

£3,138.65



2 X 15KG WEIGHT PLATES

WEIGHT30

Pair of 15kg weight plates for use with the 30073 Counterweight Base, ensuring system stability and compliance with safety standards.

Conformance:  
Not classified as PPE

£194.78



DAVITS | BARREL MOUNTS

ADJUSTABLE DAVIT  
BARREL MOUNT

30029

Adjustable barrel mount for davit systems, accommodating structure widths from 57mm to 635mm.

Conformance:  
EN 795 (Type B)

£2,365.42



FIXED DAVIT  
BARREL MOUNT  
(50.8MM)

30036

Fixed barrel mount base designed for secure attachment to trench boxes or similar structures with a maximum width of 50.8mm.

Conformance:  
EN 795 (Type B)

£1,302.31



FIXED DAVIT BARREL  
MOUNT (127MM)

30161

Fixed barrel mount base suitable for trench boxes or structures with a maximum width of 127mm.

Conformance:  
EN 795 (Type B)

£1,529.58



FIXED DAVIT BARREL  
MOUNT (181MM)

30166



Fixed barrel mount base designed for trench boxes or structures with a maximum width of 181mm.

Conformance:  
EN 795 (Type B)

£1,650.98







DAVITS | DAVIT BRACKETS

<b>DAVIT BRACKET</b>	<b>60209</b>	<b>AB15RT TO DAVIT BRACKET</b>	<b>60176/2</b>
	<p>Mounting bracket for attaching winches and fall arrest devices with Klik fittings to Tuff Built Pro-3 Series davits.</p> <p><b>Conformance:</b> EN 795 (Type B)</p> <p><b>£215.99</b></p>		<p>Dedicated bracket designed to secure the AB15RT fall arrest winch to Tuff Built davit systems. Requires the 60209 Davit Bracket for installation.</p> <p><b>Conformance:</b> EN 795 (Type A)</p> <p><b>£166.58</b></p>

<b>AB30RT TO DAVIT BRACKET</b>	<b>T05T-30D</b>	<b>ANALOG DAVIT BRACKET</b>	<b>60294</b>
	<p>Bracket for attaching the TORQ 30m Fall Arrest Recovery Winch (AB30RT) to Tuff Built Pro-3 davit systems.</p> <p><b>Conformance:</b> EN 795 (Type A)</p> <p><b>£167.71</b></p>		<p>Bracket designed for mounting winches to Tuff Built Analog Davit Systems (page 48).</p> <p><b>Conformance:</b> EN 795 (Type B)</p> <p><b>£195.98</b></p>

DAVITS | DAVIT SYSTEMS

<b>HORIZONTAL ENTRY DAVIT SYSTEM (CLAMP &amp; ARM)</b>	<b>30321 /235</b>	<b>HORIZONTAL ENTRY DAVIT SYSTEM (POST &amp; ARM)</b>	<b>30324/235</b>
	<p>Clamp-on horizontal entry davit system designed for safe access to confined spaces, adaptable to various tank collar sizes.</p> <p><b>Conformance:</b> EN 795 (Type B)</p> <p><b>£7,754.93</b></p>		<p>72-inch post and arm assembly designed for horizontal access and egress in confined spaces; requires separate davit base.</p> <p><b>Conformance:</b> EN 795 (Type B)</p> <p><b>£4,167.41</b></p>
<b>ANALOG ONE-PIECE DAVIT SYSTEM</b>	<b>30557</b>	<b>ANALOG ONE-PIECE DAVIT SYSTEM (LARGE)</b>	<b>50048</b>
	<p>Single-piece davit system for applications where an extended height of 219cm and a reach of 122cm are required.</p> <p><b>Conformance:</b> EN 795 (Type B)</p> <p><b>£2,880.50</b></p>		<p>Single-piece davit system for applications where an extended height of 280cm and a reach of 190cm are required.</p> <p><b>Conformance:</b> EN 795 (Type B)</p> <p><b>£3,504.35</b></p>



DAVITS | DAVIT KITS

COUNTERWEIGHT  
DAVIT KIT

30073KIT





Portable counterweight davit system designed for confined space entry, rescue, and fall protection without the need for permanent anchoring.

**Conformance:**  
EN 795 (Type B),  
EN 360, EN 1496

£11,071.27

ADJUSTABLE  
BARREL MOUNT  
DAVIT KIT

30029KIT



Fully featured davit kit with adjustable barrel clamp mount for trench edges from 57–635mm, ideal for confined space rescue and personnel lifting.

**Conformance:**  
EN 795 (Type B),  
EN 360, EN 1496

£7,960.68

BARREL MOUNT  
DAVIT KIT (127MM)

30161KIT



Davit kit includes personnel and fall arrest winches. The 127mm barrel mount is tailored for larger trench boxes and shoring applications.

**Conformance:**  
EN 795 (Type B),  
EN 360, EN 1496

£7,124.84

BARREL MOUNT  
DAVIT KIT (181MM)

30166KIT



Davit kit includes 2 winches and a 181mm barrel mount, suitable for extra-wide trench boxes and shoring structures.

**Conformance:**  
EN 795 (Type B),  
EN 360, EN 1496

£7,246.24

4-PIECE BASE  
DAVIT KIT

30070KIT




Modular 4-piece davit system with portable base, offering flexible vertical entry and rescue from confined spaces.

**Conformance:**  
EN 795 (Type B),  
EN 360, EN 1496

£6,375.15

BARREL MOUNT  
DAVIT KIT (57MM)

30036KIT





Davit system with fixed barrel for 57mm wide trench edges, designed for vertical confined space entry and rescue operations.

**Conformance:**  
EN 795 (Type B),  
EN 360, EN 1496

£6,897.57

POLE HOIST  
DAVIT KIT

30040KIT



Pole hoist system with adjustable reach from 1.52m to 3.05m, designed for horizontal entry into confined spaces with vertical retrieval.

**Conformance:**  
EN 795 (Type B),  
EN 1496

£5,397.99

VEHICLE HITCH  
MOUNT DAVIT KIT

30093KIT



Davit system utilising a vehicle's hitch as a counterweight, ideal for mobile confined space operations.

**Conformance:**  
EN 795 (Type B),  
EN 1496

£7,230.02



# > HARNESSES

Abtech Safety harnesses offer safety and comfort for professionals across diverse industries. Whether scaling wind turbines, navigating intricate access points, or tackling industrial challenges on work sites, these harnesses are your reliable companion. Crafted with precision, our range of harnesses offer not just support, but peace of mind. Your safety is paramount, and Abtech Safety harnesses are your steadfast partner in ensuring it.



## HARNESSES | FULL BODY HARNESSES

### CRESTO CORE BASE SINGLE POINT HARNESS

1151

Durable, single-point fall arrest harness designed for general work-at-height applications.

Conformance:  
EN 361

£54.90

CRESTO®



### CRESTO CORE ACTIVE TWO POINT HARNESS

1154

Versatile two-point harness with front and rear attachment points, suitable for various industrial applications.

Conformance:  
EN 361

£59.40

CRESTO®



### CRESTO CORE ACTIVE RESCUE HARNESS

1154R

Two-point harness with an additional rescue D-ring, designed for confined space entry and rescue operations.

Conformance:  
EN 361, EN 1497

£64.96

CRESTO®



### CRESTO WORKER PRO HARNESS

1123

Advanced full-body harness with patented front webbing loops and breathable padding for superior safety and comfort at height.

Conformance:  
EN 361

£224.10

CRESTO®



### CRESTO ENERGY PRO HARNESS

1136

High-performance harness designed for industrial tower and pole climbing, offering exceptional ergonomics and comfort.

Conformance:  
EN 361, EN 358, EN 813

£386.10

CRESTO®



### CRESTO ENERGY PRO WIND HARNESS

1136WIND

Customised harness tailored for wind turbine work, combining lightweight design with robust features.

Conformance:  
EN 361, EN 358, EN 813

£395.10

CRESTO®






CRESTO  
FUSION ACTIVE

1118

Slim, premium harness offering maximum comfort and simplicity, approved for work positioning without a support belt.

Conformance:  
EN 361, CNB/P11.043 V2

£240.30




STL TECH SIROCCO  
WORK POSITIONING  
HARNESS

UH232

The harness' fixed shoulder pads with double adjustment lightweight mesh and fabric belt ensure comfortable use.

Conformance:  
EN 361, EN 358, EN 813

£461.48




CRESTO FUSION  
ACTIVE + WIND  
HARNESS

1137

Ergonomic harness engineered for wind power technicians, ensuring comfort and safety during high-altitude tasks.

Conformance:  
EN 361, EN 358

£404.10




STL TECH SIROCCO  
WORK POSITIONING  
HARNESS

UH238

The harness includes five attachment points: two side, two front and one rear, quick release buckles and breathable mesh padding for increased comfort.

Conformance:  
EN 361, EN 358, EN 813

£425.35




CRESTO FUSION  
PRO WIND HARNESS

1138

Ergonomic rescue-ready harness designed for wind turbine access and rescue, with luminous D-rings and pressure relieving seat support.

Conformance:  
EN 361, EN 358,  
ANSI Z359.11-2014

£413.10




SIROCCO WORK  
POSITIONING HARNESS  
WITH LEATHER BELT

UH238LB

The leather waist pad on the 238 LB is designed for hard-wearing conditions, ensuring your harness stays intact even in the most gruelling work environments.

Conformance:  
EN 361, EN 358, EN 813:2008

£675.55



HARNESSES | HARNESS KITS


WORKING AT HEIGHT HARNESS KIT 1

WAHK1

Essential fall protection kit with CRESTO 1151 harness, 1507H shock-absorbing 1.8m fall arrest lanyard, and a durable kit bag.

Conformance:  
EN 361, EN 355

£147.40



WORKING AT HEIGHT HARNESS KIT 2

WAHKIT2

Kit includes CRESTO 1154 harness, featuring front and rear attachment points. 1507H 1.8m fall arrest lanyard, and storage bag.

Conformance:  
EN 361, EN 355

£151.90




WORKING AT HEIGHT HARNESS KIT 3

WAHKIT3

Fall protection kit with CRESTO 1154 dual-point harness and 1508H 1.9m twin-leg fall arrest lanyard for continuous safety during movement.

Conformance:  
EN 361, EN 355

£191.50




ACCESS PLATFORM KIT 1

APK1

Fall restraint kit featuring CRESTO 1154 dual-point harness and ABRSTADJ adjustable lanyard for safe access platform operations.

Conformance:  
EN 361, EN 358

£107.48




FALL ARREST KIT 1

FAK1

Fall arrest kit featuring CRESTO 1151 harness with rear D-ring and 2m TORQ Micro retractable fall arrester.

Conformance:  
EN 361, EN 358

£268.14



PERSONAL PLUS  
SAFETY BELT

BSPR+SB-A

Lightweight and durable work positioning belt with dual side D-rings, tool loops, and adjustable fit for enhanced stability during tasks at height.



Conformance:  
EN 358

£47.25

RESCUE NAPPY

ABNAP

The Rescue Nappy's design ensures adults and children alike are held in a near-vertical position, making extraction smoother and safer.



Tested to:  
EN 1497

£82.71

LEG SUSPENSION  
STEP

ABLSS

Lightweight, adjustable step designed to alleviate pressure after a fall by enabling a standing position during prolonged suspension in a harness.



Conformance:  
Not classified as PPE

£24.85

CRESTO  
WORK SEAT

ASC-ST001

The CRESTO Work Seat is engineered to provide superior comfort and support for professionals engaged in extended work at height.



Conformance:  
EN 358

£127.80

BOSUNS CHAIR

ABBC

For a seated position when in a full body harness. Complete with foot rest and tool pockets.



Conformance:  
Not classified as PPE

£308.39



# ➤ RESCUE & EVACUATION

Abtech Safety offers a reliable range of rescue and evacuation solutions designed for emergency use at height. Our RESQ evacuation devices provide controlled, safe descent in critical situations, while our rescue kits are pre-assembled for rapid deployment across various scenarios, including MEWPs, towers, and vertical rescue. Each system is built for ease of use under pressure, meets relevant safety standards, and is supported by guidance from our technical team.





RESCUE & EVACUATION | EVACUATION DEVICES


RESQ RED PRO X ORIGINAL (100M)

RPX200

High-performance evacuation device with kit including 100m rope, designed for controlled descents carrying up to 140 kg.

Conformance:  
EN 341, EN 1496, ANSI Z359.4-2013,  
CSA Z259.2.3-12

£2,502



RESQ SMARTLINE X (15M)

012230117

Ultra-compact personal evacuation device with 15m aramid rope, designed for controlled descents carrying up to 140 kg.

Conformance:  
EN 341 (Type 1A)

£413.10



RESQ SMARTLINE X (25M)

012230118

Ultra-compact personal evacuation device with 25m aramid rope, designed for controlled descents carrying up to 140 kg.

Conformance:  
EN 341 (Type 1A)

£459



RESQ SMARTLINE X ULTRA VACUUM

012230132

Compact, vacuum-sealed personal evacuation device with 100m aramid rope for controlled descents carrying up to 140 kg.

Conformance:  
EN 341 (Type 1, Class D)

£918.90



RESQ SOLO X WIND

8110222100

Ultra-compact, fully automatic evacuation device with 100m rope. Solo X boasts a lifespan of up to 30 years with minimal maintenance.

Conformance:  
EN 341 (Type 1D),  
ANSI Z359.4-2013

£1,394.10



RESCUE & EVACUATION | RESCUE KITS

TWO-WAY LOCKING RESCUE SYSTEM (15M)

ABRALF




15m two-way locking rescue system with over-speed brake, designed for confined space and vertical rescue operations.

Conformance:  
EN 12278,  
ANSI Z359.4

£1,075.37

VERTICAL WORK & RESCUE SYSTEM (15M)

VWR1



15m vertical work and rescue system with pre-rigged pulley setup for efficient raising and lowering operations.

Conformance:  
EN 12278,  
EN 1891 (Type A)

£740.36

VERTICAL RESCUE SYSTEM

VRS



15m Vertical Rescue System with a 4:1 mechanical advantage. Telescopic reach pole for attaching the system to a suspended person.

Conformance:  
EN 1891 (Type A),  
EN 12278

£826.02

LADDER RESCUE KIT

LADDERKIT



Comprehensive ladder rescue kit with 25m rope, belay device, and anchoring equipment for safe and efficient rescues.

Conformance:  
EN 362, EN 795,  
EN 341

£621.28

## MEWP EVACUATION KIT

MEWP-20

20m evacuation kit with Lory belay device, ladder, and rescue bag for safe emergency descents from MEWPs.

Conformance:  
EN 362, EN 795, EN 341

£550.89



STL  
TECH

## POLE TOP RESCUE KIT (20M)

STL-PTR-NPG

20m pole top rescue kit with Lory belay device, carabiners, and cutting shears for fast, controlled casualty retrieval.

Conformance:  
EN 362, EN 795, EN 341

£509.46



STL  
TECH

## TOWER RESCUE KIT (60M)

TOWERRESQKIT

60m tower rescue kit with Lory belay device, karabiners, and safety knife for emergency descent and recovery operations. Tailored rope lengths available.

Conformance:  
EN 362, EN 795, EN 341

£710.46



STL  
TECH



# > ROPE RIGGING



Rope Rigging tools are designed to ensure your safety and efficiency in the most challenging environments. From ropes that blend strength with flexibility to advanced pulleys and descenders, Abtech Safety has got your back, quite literally. Dive into the world of rope access equipment and discover how to remain securely connected to your tasks, ensuring safety at every step. Ready to gear up?






NYLON ROPE WITH PLASTIC EYES (5M)

ABR05

5m of 16mm nylon rope with plastic eyes at both ends, ideal for short-range work positioning and restraint tasks.

Conformance:  
2006/42/EC

£71.48



5M


NYLON ROPE WITH PLASTIC EYES (10M)

ABR10

5m of 16mm nylon rope with plastic eyes at both ends, ideal for short-range work positioning and restraint tasks.

Conformance:  
2006/42/EC

£91.01



10M


NYLON ROPE WITH PLASTIC EYES (15M)

ABR15

10m of 16mm nylon rope with plastic eyes, designed for medium-range work positioning and restraint applications.

Conformance:  
2006/42/EC

£110.54



15M


NYLON ROPE WITH PLASTIC EYES (20M)

ABR20

20m of 16mm nylon rope with plastic eyes, designed for long-range work positioning and restraint applications.

Conformance:  
2006/42/EC

£130.02



20M


STATIC ROPE 1M OF 11MM

LR/11/1

32 strand Polyamide construction provides excellent wear resistance, good grip and lovely handling characteristics.

Conformance:  
EN 1891 (Type A)

Price per meter: £2.78



1M

11 MM STATIC ROPE (50M)

LR/11/50



50M

50m abrasion-resistant static rope with 34kN strength, ideal for rope access and rescue operations.

Conformance:  
EN 1891 (Type A)

£136.17

11 MM STATIC ROPE (100M)

LR/11/100



100M

50m abrasion-resistant static rope with 34kN strength, ideal for rope access and rescue operations.

Conformance:  
EN 1891 (Type A)

£272.34

11 MM STATIC ROPE (200M)

LR/11/200



200M


200m high-strength static rope with 34kN rating, designed for extensive rope access and rescue operations.

Conformance:  
EN 1891 (Type A)

£544.41

HEAT SHRUNK KNOTTED ROPE

F8



11mm static rope with heat-shrunk figure 8 knot and K10SG screw gate karabiner for secure anchoring. Add “/ F8” to a static rope order to include this configuration (e.g. LR/11/XX/F8)

Conformance:  
EN 1891 (Type A),  
EN 362

£15.80

ROPE RIGGING | **ANCHORS**


<b>BEAM CLAMP (105MM-310MM)</b>	<b>CT101.3</b>
---------------------------------	----------------

Adjustable beam clamp anchor point offering smooth lateral movement and secure fall protection on structural steel.

**Conformance:**  
EN 795 (Type B), ANSI Z359.1-2007

- Adjustable clamp fits beam widths from 105 to 310mm
- Smooth sliding action enhances mobility and productivity
- Durable aluminium and stainless steel construction
- Suitable for fall arrest and restraint systems

**£392.18**




<b>BEAM CLAMP (305MM-750MM)</b>	<b>CT110.2</b>
---------------------------------	----------------

High-capacity adjustable beam clamp for fall protection and rope access on large structural I-beams.

**Conformance:**  
EN 795 (Type B), CEN/TS 16415

- Adjustable for large I-beams (305 – 750mm width)
- Suitable for fall protection and rope access
- Rated for single or two-person use in rescue
- Individually serial numbered for asset tracking

**£397.73**



ROPE RIGGING | **PULLEYS**

<b>DOUBLE PULLEY (SMALL)</b>	<b>RP030</b>
------------------------------	--------------




Compact double pulley with 36kN strength, suitable for ropes up to 13mm in diameter.

**Conformance:**  
EN 12278

**£42.24**

<b>DOUBLE PULLEY (MEDIUM)</b>	<b>RP064</b>
-------------------------------	--------------



Medium double pulley with 50kN strength, suitable for ropes up to 13mm in diameter.

**Conformance:**  
EN 12278

**£80.31**

<b>ONE-WAY LOCKING DOUBLE PULLEY</b>	<b>RP700</b>
--------------------------------------	--------------




Double pulley with one-way locking bearings, suitable for 10–13mm ropes in rescue and hauling operations.

**Conformance:**  
EN 12278

**£167.75**

<b>STAINLESS STEEL SINGLE PULLEY</b>	<b>RP066</b>
--------------------------------------	--------------



Heavy-duty stainless steel pulley for ropes up to 16mm, with 50kN MBS, ideal for rescue and industrial rigging.

**Conformance:**  
EN 12278

**£91.60**



ROPE RIGGING | ROPE DEVICES


ROPE GRAB

RG21

Compact rope grab for 10.5–13mm ropes, featuring a non-aggressive cam and detachable function for rope access safety.

Conformance:  
EN 567

£85.70




D4 DESCENDER

RP880

High-performance descender with progressive cam action and 240kg WLL, suitable for 10.5–11.5mm ropes.

Conformance:  
EN 12841 (Type C), ANSI Z359.4, NFPA 1983

£232.62




ASCENDER (RIGHT HAND)

RP220

Ergonomic right-hand ascender with stainless steel cam, suitable for 9-13mm ropes in rope access and rescue operations. Left-handed model available on request.

Conformance:  
EN 567, EN 12841, NFPA Compliant

£112.75



ROPE RIGGING | ROPE ACCESSORIES


CANVAS ROPE PROTECTOR

CRP70

Durable canvas rope protector with Velcro closure and eyelets, measuring 54cm x 70cm, designed to shield ropes from edge abrasion.

Conformance:  
Not classified as PPE

£42.37




EDGE ROLLER

ER100-4

Modular edge roller system with four aluminium units, designed to protect ropes (8–16mm) from abrasion over edges.

Conformance:  
Not classified as PPE

£134.37



RIBBED ROPE PROTECTOR

EPPLUS

Durable canvas rope protector with rigid inserts and eyelets, measuring 65cm x 97cm, designed to shield ropes from edge abrasion.

Conformance:  
Not classified as PPE

£115.55



CRESTO ROPE BAG (M)

012260242

Durable medium-size rope bag for compact storage and transport of ropes and essential height safety gear.

Conformance:  
Not classified as PPE

£74.70



CRESTO ROPE BAG (L)

012260243

Spacious rope bag for secure storage and transport of standard length ropes and safety equipment.

Conformance:  
Not classified as PPE

£100.35



CRESTO ROPE BAG (XL)

012260244

High-capacity rope bag built to carry long ropes and bulky gear for demanding work-at-height environments.

Conformance:  
Not classified as PPE

£115.20





# > LANYARDS & SLINGS

Abtech Safety offers a versatile range of lanyards and slings for work positioning, anchoring, and tool tethering. Our adjustable work positioning lanyards keep users stable and secure during hands-free tasks. Anchor slings come in high-visibility colours and various lengths for easy, reliable attachment. Tool lanyards help prevent dropped objects on site. Designed for strength, flexibility, and safety, all products are built to meet industry standards and support safe, efficient work at height.



## LANYARDS & SLINGS | WORK POSITIONING

### ADJUSTABLE RESTRAINT LANYARD

ABRSTADJ

Adjustable webbing lanyard (0.94–1.48m) with screwgate karabiners, designed to restrict user movement in work positioning applications.

Conformance:  
EN 358

£41.08



### CRESTO SIMO S WORK POSITIONING LANYARD (1.5M)

2342-1.5

1.5m adjustable polyamide lanyard with rope grab, ideal for compact work positioning tasks.

Conformance:  
EN 358, EN 795

£106.20

CRESTO

1.5M



### CRESTO SIMO S WORK POSITIONING LANYARD (2M)

2342-2

2m adjustable lanyard with kernmantle rope and rope grab for versatile industrial work positioning.

Conformance:  
EN 358, EN 795

£107.20

CRESTO

2M



### CRESTO SIMO S WORK POSITIONING LANYARD (5M)

2342-5

5m adjustable lanyard with kernmantle rope and certified hardware for extended work positioning applications.

Conformance:  
EN 358, EN 795

£122.40

CRESTO

5M



### CHOKESTRAP POLE CHOKER

90115-BSH

Pole choker with 2-stage snaphook, designed for secure work positioning on poles 180–350mm in diameter.

Conformance:  
EN TS 43-123  
Classification A1

£280.77





## LANYARDS & SLINGS | ANCHOR SLINGS

### CHOKESTRAP POLE CHOKER

90115-SP



Pole Choker with snaphook and integrated handles, designed for secure work positioning on poles 180–350mm in diameter.

**Conformance:**  
ENA TS 43-123  
Classification A1

£266.94

### CHOKESTRAP POLE CHOKER

90115-WPS



Pole choker with 2-stage karabiner, designed for secure work positioning on poles 180–350mm in diameter.

**Conformance:**  
ENA TS 43-123  
Classification A1

£273.08

### POLECAT POLE CHOCKER

120POLECAT



Adjustable pole choker with mini shock absorber and rubber grip pads, designed for secure work positioning on poles.

**Conformance:**  
EN 358

£355.56

### ROPE RAT WORK POSITIONING LANYARD (2M)

ABRAT-2M



2m adjustable kernmantle rope lanyard with rope grab and protective cover for secure work positioning.

**Conformance:**  
EN 358

£192.31

### NEON GREEN ANCHOR SLING (0.6M)

SSN20ONG-060



0.6m neon anchor, designed for secure attachment in confined spaces.

**Conformance:**  
EN 354, EN 566,  
EN 795 (Type B)

£9.45

### NEON RED ANCHOR SLING (0.8M)

SSN20ONR-080



0.8m neon anchor sling, ideal for versatile anchorage applications.

**Conformance:**  
EN 354, EN 566,  
EN 795 (Type B)

£9.90

### NEON ORANGE ANCHOR SLING (1M)

SSN20ONO-100



1.0m neon anchor sling, suitable for standard anchorage setups.

**Conformance:**  
EN 354, EN 566,  
EN 795 (Type B)

£10.80

### NEON BLUE ANCHOR SLING (1.2M)

SSN20ONB-120



1.2m neon anchor sling, offering extended reach for varied anchoring needs.

**Conformance:**  
EN 354, EN 566,  
EN 795 (Type B)

£11.70

NEON YELLOW  
ANCHOR SLING  
(1.5M)

SSN20ONG-150



1.5m neon anchor sling, ideal for anchoring around large structures.

Conformance:  
EN 354, EN 566,  
EN 795 (Type B)

£12.60

WIRE ANCHOR  
SLING (1M)

WS100



1M

1.0m galvanised steel wire anchor sling with PVC cover for secure anchorage in a range of operational environments.

Conformance:  
EN 795 (Type B)

£23.42

WIRE ANCHOR  
SLING (1.5M)

WS150



1.5M

1.5m galvanised steel wire anchor sling with PVC cover for versatile anchorage applications.

Conformance:  
EN 795 (Type B)

£25.52

WIRE ANCHOR  
SLING (2M)

WS200



2M

2.0m galvanised steel wire anchor sling with PVC cover for anchoring around larger structures.

Conformance:  
EN 795 (Type B)

£29.06

## LANYARDS & SLINGS | TOOL LANYARDS

WRIST STRAP WITH  
SWIVEL SNAPHOOK

264901309



Slim, adjustable wrist strap with swivel snap hook for secure tool tethering.

Conformance:  
Not classified as PPE

£32.76



TOOL HOLDER  
WITH D-RING

292650108



Durable tool holder with stainless steel D-ring for secure attachment.

Conformance:  
Not classified as PPE

£4.63



SPIRAL WIRE -  
THREE SET KIT

301153607



Set of spiral wire tool lanyards with protective plastic cover and snap hooks.

Conformance:  
Not classified as PPE

£24.25



ELASTIC TOOL  
LANYARD WITH  
KARABINER

276860103



Elastic lanyard with dual karabiners for secure tool attachment.

Conformance:  
Not classified as PPE

£34.31



ELASTIC TOOL  
LANYARD WITH  
LOOP & KARABINER

276870102



Elastic lanyard with loop and snap hook for versatile tool attachment.

Conformance:  
Not classified as PPE

£16.53



TOOL TETHER SET  
WITH ROPES

264680117



Comprehensive tool tethering set with elastic strap and fixing cords.

Conformance:  
Not classified as PPE

£43.95







# > CONNECTORS

Our range of connectors provides reliable solutions for linking components in height safety and rescue systems. Choose from maillons for secure, semi-permanent connections, karabiners with various locking mechanisms for quick attachment, and hooks for dependable anchoring. Each connector is built for strength, ease of use, and full compliance with safety standards. Whether for rescue, work positioning, or fall arrest, our connectors provide the critical links you can trust at height.



## CONNECTORS | MAILLONS

### DELTA MAILLON

DZ10



High-strength delta-shaped connector with 12mm gate opening and 45kN breaking strength for secure three-way connections.

**Conformance:**  
EN 362,  
EN 12275

£9.13

### OVAL MAILLON

GOZ07



Durable zinc-plated steel oval maillon with 10mm gate opening and 25kN breaking strength for secure connections.

**Conformance:**  
EN 362,  
EN 12275

£5.26

### PEAR MAILLON

PPEPZ10



Robust pear-shaped connector with 20.5mm gate opening and 36kN breaking strength for secure anchoring.

**Conformance:**  
EN 362,  
EN 12275

£13.28

### SEMI-CIRCULAR MAILLON

PPESCZ10








Semi-circular zinc-plated steel connector with 12mm gate opening and 45kN breaking strength for secure harness connections.



**Conformance:**  
EN 362,  
EN 12275

£13.33

CONNECTORS | KARABINERS

KLETTERSTEIG SCREWGATE		K40SGP	
The Abtech Klettersteig Screwgate Karabiner (K40SGP) is a robust connector designed for demanding industrial applications.			
Conformance: EN 362			
£17.36			
OVAL TWISTLOCK	K10DA	OVAL SCREWGATE	K10SG
The K10DA Oval Twistlock Karabiner is a durable connector crafted from zinc-plated steel, featuring an 16mm gate opening and a minimum breaking strength of 25kN		The K10SG Oval Screwgate Karabiner is a robust connector crafted from zinc-plated steel, featuring an 18mm gate opening and a minimum breaking strength of 25kN	
Conformance: EN 362		Conformance: EN 362	
£13.19		£6.88	
RESCUE SCREWGATE	C842	SCAFFOLD TWISTLOCK	K70DAP
High-strength screwgate karabiner with 25mm gate opening and 45kN breaking strength for secure rescue applications.		The K70DAP Scaffold Twistlock Karabiner is a durable steel connector designed for scaffolding applications.	
Conformance: EN 362		Conformance: EN 362	
£26.27		£37.83	

CONNECTORS | HOOKS


SMALL SNAP HOOK		S2046	
Compact double-action snap hook with 21.5mm gate opening and 27kN breaking strength for secure industrial connections.			
Conformance: EN 362			
£12.76			
SNAP SCAFFOLD HOOK		SSE/SSH	
High-strength aluminium scaffold hook with 60mm gate opening and 22kN breaking strength for secure structural connections.			
Conformance: EN 362			
£25.84			





# > ACCESS SOLUTIONS

These Access Solutions enable safe, efficient movement in and around confined or elevated spaces. The range includes portable ladders, temporary stairways, and specialist options like the Tuff Exosphere Anchor, and our Container Safe Kit. Designed for efficient setup and reliable performance, each product supports compliant access for inspection, and maintenance tasks. Built for tough environments, our solutions help teams work safely where traditional access isn't always an option.



## ACCESS SOLUTIONS

### EXOSPHERE ANCHOR SYSTEM

### TUFFEXO

Portable overhead fall arrest anchor system with up to 6.1 m height and 136 kg capacity per user for elevated work safety.

**Conformance:**  
EN 795, ANSI Z359.18, OSHA 1926.502, OSHA 1910.140

**On Request (£)**



### EXOSPHERE ANCHOR 4X4

### TUFFEXO4X4

Hydraulic all-terrain mobile fall arrest system with 12.8m adjustable anchor height, 4-user capacity, and remote control operation.

**Conformance:**  
EN 795, ANSI Z359.18, OSHA 1926.502, OSHA 1910.140

**On Request (£)**




### SINGLE FLEXI LADDER

### FLEXIS

Modular 3m single-rung webbing ladder with 250kg safe working load (SWL), designed for portable access in rescue and industrial environments.

**Conformance:**  
Not classified as PPE

**£122.37**



DOUBLE FLEXI LADDER

FLEXID



Modular 3m twin-rung webbing ladder with 250kg SWL, designed for portable access in rescue and industrial environments.

**Conformance:**  
**Not classified as PPE**

£197.67

DOUBLE FLEXI LADDER HANGER

FLEXIH



Steel hanger with integrated connectors for securely suspending the Abtech Double Flexi Ladder from elevated anchor points.

**Conformance:**  
**Not classified as PPE**

£160.25

MODULAR ACCESS STAIR SYSTEM

TUFFSTEP



Modular, heavy-duty stair system for safe temporary access across uneven or sloped terrain with adjustable slope up to 55°.

**Conformance:**  
**Not classified as PPE**

On Request (£)

CONTAINER SAFE KIT

CONT



Complete fall protection kit with harness, adjustable restraint, ropes, and connectors for safe work on shipping containers.

**Conformance:**  
**EN 361, EN 354, EN 358, EN 362**

£617.31

HONOR-T HORIZONTAL FALL ARREST SYSTEM

HONOR-T

25-metre horizontal fall arrest system designed for up to five users, incorporating two 15m TORQ® AB15T retractable fall arrest devices for reliable fall protection in various working-at-height scenarios.

**Conformance:**  
**EN 795 (Type C), EN 360**

£3,769.66



HORIZONTAL FALL ARREST SYSTEM (20M)

ABTL20-2

Lightweight and easy-to-install 20-metre horizontal fall arrest system, designed for up to two users, providing reliable fall protection in various working-at-height scenarios.

**Conformance:**  
**EN 795 (Type C)**

£282.82







# > BAGS & ACCESSORIES

Abtech Safety offers a range of storage solutions. These purposebuilt bags and boxes are designed to meet the demanding needs of professionals in fields such as Utilities, Construction and Rescue. With Abtech Safety, you can trust in durable and reliable storage solutions to keep your equipment, tools, and parts secure and accessible, on the job site or in the field.



## BAGS & ACCESSORIES

### ABTECH SAFETY KIT BAG

### ABBAG

Durable kit bag with zip compartment and padded shoulder straps, designed for carrying harnesses and lanyards.

**Conformance:**  
Not classified as PPE

**£15.65**



### LINE OPS RESCUE BAG

### LOPSBAG

High-visibility rescue bag with nine removable pouches and reflective 'RESCUE' panel for organised emergency response.

**Conformance:**  
Not classified as PPE

**£503.19**



### BOLT BAG

### STL9318

Large vinyl bolt bag designed to fit all utility harnesses, providing durable storage for bolts and small tools.

**Conformance:**  
Not classified as PPE

**£48.26**



### MESH BOLT BAG

### RRST35

Durable mesh bolt bag with reinforced straps, designed for secure storage and quick access to bolts and small tools.

**Conformance:**  
Not classified as PPE

**£61.05**



### CANVAS TOOL BAG (MEDIUM)

### STL9417

Durable medium-sized canvas tool bag with secure clip buckles for attachment to utility harnesses.

**Conformance:**  
Not classified as PPE

**£27.46**



CANVAS TOOL BAG (LARGE)

STL9418

Spacious large canvas tool bag with secure clip buckles for attachment to utility harnesses.

Conformance:  
Not classified as PPE

£41.93



CRESTO BOLT BAG (S)

012260222

Compact bolt and material bag with waterproof construction, one-handed opening, and multiple tool lanyard attachment points.

Conformance:  
Not classified as PPE

£40.95




CRESTO BOLT BAG (L)

01226022

Spacious bolt bag with waterproof material, quick lace lock closure, and tool lanyard attachment system for high-access work.

Conformance:  
Not classified as PPE

£45.90



CRESTO TOOL BUCKET

012260213

13-litre tool bucket with OnePull locking system, external lanyard loops, and reinforced water-resistant construction.

Conformance:  
Not classified as PPE

£84.60



CRESTO TOOLPRO BAG

012260212

15-litre tool bag with cord-lock closure, reinforced handles, and external loop system for safe and efficient tool storage.


Conformance:  
Not classified as PPE

£113.40



WINCH CARRY BAG WITH WOOD BASE

WINCHBAG



Heavy-duty carry bag with solid wood base, zip closure, and internal Velcro straps for secure transport of winch devices.

Conformance:  
Not classified as PPE

£73.42

PLASTIC WINCH BOX WITH FOAM INSERTS

EU39



Durable plastic winch box with custom foam inserts, designed for secure storage and transportation of winch devices.

Conformance:  
Not classified as PPE

£97.51

TORQ CARRY BAG WITH WOOD BASE

TORQBAG



Durable carry bag with solid wood base, zip closure, and internal Velcro straps for secure transport of TORQ fall arrest devices.

Conformance:  
Not classified as PPE

£73.42

CRESTO CROWN ELECTRO HELMET

012263105



Electrically insulated hi-viz yellow safety helmet with no ventilation or conductive parts, certified for 1000V AC and 1500V DC use.

Conformance:  
EN 397:2012+A1, EN 50365

£73.42



Full

### TORQ Micro

Compact, durable, and ideal for work in tight or low-clearance environments — lightweight protection that fits your workspace.

### TORQ Lite

A lightweight retractable lifeline offering smooth performance and freedom of movement — perfect for everyday tasks at height.

### TORQ

The original all-rounder in fall arrest — trusted across industries for reliable, consistent protection in vertical and horizontal use.

### TORQ Max

Built for the toughest conditions, TORQ Max delivers high-capacity fall arrest for demanding industrial environments and heavy users.

Discover our entire range of Fall Arresters on page 22.

### SLIX: STRETCHERS BUILT FOR RESCUE

The SLIX stretcher range is designed for real-world rescue — lightweight, rollable, and adaptable to the most demanding environments. Whether you need rapid extraction, spinal immobilisation, or support for bariatric casualties, SLIX stretchers deliver safe, efficient casualty handling in confined spaces, on slopes, or across rough terrain. With models trusted by first response teams worldwide, SLIX makes rescue simpler, safer, and more effective.

Explore our full range of on page 33.





®  
f  
o  
o  
d  
o  
o  
o

## ENGINEERED FOR INDUSTRY. TRUSTED IN CONFINED SPACE.

The T3 and RT3 tripods form the foundation of safe access and rescue in confined spaces. The T3 supports two users and features fixed legs with integrated pulleys and six anchor points, making it a compact and efficient choice for entry and retrieval. The RT3 offers enhanced flexibility with longer, removable legs secured by pins for faster setup, and six underslung swivel anchor eyes for optimal rigging angles. Both tripods are available individually or as part of complete kits tailored to your needs, from fall arrest to vertical rescue.

Turn to page 12 to explore the full range of Tripod Kits.

## YOUR POCKET-SIZED LIFELINE

- THE WORLD'S SMALLEST AND LIGHTEST EVAC DEVICE
- INTUITIVE 'CONNECT AND GO' DESIGN
- EVACUATIONS UP TO 300 METRES

**CRESTO SAFETY**

**RESQ**  
SOLO X

Engineered with wind energy technicians in mind, the RESQ Solo X Wind is the world's smallest and lightest evacuation device. Developed with Siemens Gamesa, it features a fully automatic braking system for controlled descents up to 141kg. Compact enough to wear on your harness, it's always ready – whatever the conditions.

See page 55 for details.

**TUFF BUILT**  
PRODUCTS INC.

## TUFF KITS FOR TOUGH ACCESS

The 30070KIT Davit Kit delivers safe, reliable access for confined space entry and rescue. This modular 4-piece kit includes a portable base and 30m personnel winch, making it easy to deploy across multiple job sites.

Abtech Safety offers a range of Tuff Built davits and winches, to help you choose the right solution for every scenario.

Turn to page 40 for details.



# TERMS AND CONDITIONS

## 1. INTERPRETATION

### 1.1 Definitions:

Business Day: a day other than a Saturday, Sunday or public holiday in England, when banks in London are open for business.

Business Hours: the period from 9.00 am to 5.00 pm on any Business Day.

Conditions: the terms and conditions set out in this document as amended from time to time in accordance with clause 11.3.

Contract: the contract between Abtech Safety Ltd and the Customer for the sale and purchase of the Goods in accordance with these Conditions.

Customer: the person or firm who purchases the Goods from Abtech Safety Ltd.

Delivery Location: has the meaning given in clause 4.2.

Force Majeure Event: an event, circumstance or cause beyond a party's reasonable control.

Goods: the goods (or any part of them) set out in the Order.

Order: the Customer's order for the Goods, as set out in the Customer's purchase order form, the Customer's written acceptance of the Supplier's quotation, or overleaf, as the case may be.

Specification: any specification for the Goods, including any related plans and drawings, that is agreed by the Customer and Abtech Safety Ltd.

Supplier: Abtech Safety Ltd (registered in England and Wales with company number 02656103).

### 1.2 Interpretation

(a) A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality).

(b) A reference to a party includes its successors and permitted assigns.

(c) A reference to legislation or a legislative provision is a reference to it as amended or re-enacted. A reference to legislation or a legislative provision includes all subordinate legislation made under that legislation or legislative provision.

(d) Any words following the terms including, include, in particular, for example or any similar expression shall be interpreted as illustrative and shall not limit the sense of the words preceding those terms.

(e) A reference to writing or written excludes fax and email.

## 2. BASIS OF CONTRACT

2.1 These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by law, trade custom, practice or course of dealing.

2.2 The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for ensuring that the terms of the Order and any applicable Specification submitted by the Customer are complete and accurate.

2.3 The Order shall only be deemed to be accepted when Abtech Safety Ltd issues a written acceptance of the Order, at which point the Contract shall come into existence.

2.4 The Customer waives any right it might otherwise have to rely on any term endorsed upon, delivered with or contained in any documents of the Customer that is inconsistent with these Conditions.

2.5 Any samples, drawings, descriptive matter or advertising produced by Abtech Safety Ltd and any descriptions or illustrations contained in Abtech Safety Ltd's catalogues or brochures are produced for the sole purpose of giving an approximate idea of the Goods referred to in them. They shall not form part of the Contract nor have any contractual force.

2.6 A quotation for the Goods given by Abtech Safety Ltd shall not constitute an offer. A quotation shall only be valid for a period of 30 calendar days from its date of issue.

## 3. GOODS

3.1 The Goods are described in the Specification.

3.2 The Customer shall indemnify Abtech Safety Ltd against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other reasonable professional costs and expenses) suffered or incurred by Abtech Safety Ltd in connection with any claim made against Abtech Safety Ltd for actual or alleged infringement of a third party's intellectual property rights arising out of or in connection with Abtech Safety Ltd's use of the Specification. This clause 3.2 shall survive termination of the Contract.

3.3 Abtech Safety Ltd reserves the right to amend the Specification if required by any applicable statutory or regulatory requirement, and Abtech Safety Ltd shall notify the Customer in any such event.

## 4. DELIVERY

4.1 Abtech Safety Ltd shall ensure that each delivery of the Goods is accompanied by a delivery note that shows the date of the Order, the contract number, the type and quantity of the Goods.

4.2 Abtech Safety Ltd shall deliver the Goods to the location set out in the Order or such other location as the parties may agree (Delivery Location) at any time after Abtech Safety Ltd notifies the Customer that the Goods are ready.

4.3 Delivery is completed on the completion of unloading of the Goods at the Delivery Location.

4.4 Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence.

Abtech Safety Ltd shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the Customer's failure to provide Abtech Safety Ltd with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.

4.5 If Abtech Safety Ltd fails to deliver the Goods, its liability shall be limited to the costs and expenses incurred by the Customer in obtaining replacement goods of similar description and quality in the cheapest market available, less the price of the Goods. Abtech Safety Ltd shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide Abtech Safety Ltd with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.

4.6 If the Customer fails to accept delivery of the Goods within 10 Business Days of Abtech Safety Ltd notifying the Customer that the Goods are ready, then, except where such failure or delay is caused by a Force Majeure Event or Abtech Safety Ltd's failure to comply with its obligations under the Contract in respect of the Goods:

(a) delivery of the Goods shall be deemed to have been completed at 9:00 am on the third Business Day after the day on which Abtech Safety Ltd notified the Customer that the Goods were ready; and

(b) Abtech Safety Ltd shall store the Goods until actual delivery takes place, and charge the Customer for all related costs and expenses (including insurance).

4.7 If 30 Business Days after the day on which Abtech Safety Ltd notified the Customer that the Goods were ready for delivery the Customer has not taken actual delivery of them, Abtech Safety Ltd may resell or otherwise dispose of part or all of the Goods and, after deducting reasonable storage and selling costs, charge the Customer for any shortfall below the price of the Goods.

4.8 Abtech Safety Ltd may deliver the Goods by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate contract. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.

## 5. QUALITY

5.1 Abtech Safety Ltd warrants that on delivery the Goods shall:

(a) conform with the Specification; and

(b) be free from material defects in design, material and workmanship.

5.2 Subject to clause 5.3, if:

(a) the Customer gives notice in writing to Abtech Safety Ltd within a reasonable time of discovery that some or all of the Goods do not comply with the warranty set out in clause 5.1;

(b) Abtech Safety Ltd is given a reasonable opportunity of examining such Goods; and

(c) the Customer (if asked to do so by Abtech Safety Ltd) returns such Goods to Abtech Safety Ltd's place of business at the Customer's cost, Abtech Safety Ltd shall, at its option, repair or replace the defective Goods, or refund the price of the defective Goods in full.

**5.3** Abtech Safety Ltd shall not be liable for the Goods’ failure to comply with the warranty set out in clause 5.1 if:

- (a)** the Customer makes any further use of such Goods after giving notice in accordance with clause 5.2;
- (b)** the defect arises because the Customer failed to follow Abtech Safety Ltd’s oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none) good trade practice regarding the same;
- (c)** the defect arises as a result of Abtech Safety Ltd following any drawing, design or specification supplied by the Customer;
- (d)** the Customer alters or repairs such Goods without the written consent of Abtech Safety Ltd;
- (e)** the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions; or
- (f)** the Goods differ from the Specification as a result of changes made to ensure they comply with applicable statutory or regulatory requirements.

**5.4** Except as provided in this clause 5, Abtech Safety Ltd shall have no liability to the Customer in respect of the Goods’ failure to comply with the warranty set out in clause 5.1.

**5.5** The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Contract.

**5.6** These Conditions shall apply to any repaired or replacement Goods supplied by Abtech Safety Ltd.

## 6. TITLE AND RISK

**6.1** The risk in the Goods shall pass to the Customer on completion of delivery.

**6.2** Title to the Goods shall not pass to the Customer until Abtech Safety Ltd receives payment in full (in cash or cleared funds) for the Goods and any other goods that Abtech Safety Ltd has supplied to the Customer, in which case title to the Goods shall pass at the time of payment of all such sums

**6.3** Until title to the Goods has passed to the Customer, the Customer shall:

- (a)** store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as Abtech Safety Ltd’s property;
- (b)** not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;
- (c)** maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;
- (d)** notify Abtech Safety Ltd immediately if it becomes subject to any of the events listed in clause 9.1(b) to clause 9.1(d).

**6.4** At any time before title to the Goods passes to the Customer, Abtech Safety Ltd may require the Customer to deliver up all Goods in its possession that have not been resold, or irrevocably incorporated into another product.

## 7. PRICE AND PAYMENT

**7.1** The price of the Goods shall be the price set out in the Order.

**7.2** Abtech Safety Ltd may, by giving notice to the Customer at any time before delivery, increase the price of the Goods to reflect any increase in the cost of the Goods that is due to:

- (a)** any factor beyond Abtech Safety Ltd’s control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);
- (b)** any request by the Customer to change the delivery date(s), quantities or types of Goods ordered, or the Specification; or
- (c)** any delay caused by any instructions of the Customer or failure of the Customer to give Abtech Safety Ltd adequate or accurate information or instructions.

**7.3** The price of the Goods:

- (a)** excludes amounts in respect of value added tax (VAT), which the Customer shall additionally be liable to pay to Abtech Safety Ltd at the prevailing rate, subject to the receipt of a valid VAT invoice; and
- (b)** excludes the costs and charges of packaging, insurance and transport of the Goods, which shall be invoiced to the Customer

**7.4** Abtech Safety Ltd may invoice the Customer for the Goods before or at any time after the completion of delivery.

**7.5** The Customer shall pay each invoice submitted by Abtech Safety Ltd:

- (a)** within 30 days of the date of the invoice; and
- (b)** in full and in cleared funds to a bank account nominated in writing by Abtech Safety Ltd, and
- (c)** time for payment shall be of the essence of the Contract.

**7.6** If the Customer fails to make a payment due to Abtech Safety Ltd under the Contract by the due date, then, without limiting Abtech Safety Ltd’s remedies under clause 9, the Customer shall pay interest on the overdue

sum from the due date until payment of the overdue sum, whether before or after judgment. Interest under this clause 7.6 will accrue each day at 4% a year above the Bank of England’s base rate from time to time, but at 4% a year for any period when that base rate is below 0%.

**7.7** All amounts due under the Contract shall be paid in full without any set-off, counterclaim, deduction or withholding (other than any deduction or withholding of tax as required by law).

## 8. LIMITATION OF LIABILITY

**8.1** Abtech Safety Ltd has been unable to obtain insurance in respect of certain types of loss at a commercially viable price.

**8.2** The restrictions on liability in this clause 8 apply to every liability arising under or in connection with the Contract including liability in contract, tort (including negligence), misrepresentation, restitution or otherwise.

**8.3** Nothing in in the Contract limits any liability which cannot legally be limited, including liability for:

- (a)** death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);
- (b)** fraud or fraudulent misrepresentation;
- (c)** breach of the terms implied by section 12 of the Sale of Goods Act 1979; or
- (d)** defective products under the Consumer Protection Act 1987.

**8.4** Subject to clause 8.3, Abetch Safety Ltd’s total liability to the Customer shall not exceed £1,000.

**8.5** Subject to clause 8.3, the following types of loss are wholly excluded:

- (a)** loss of profits;
- (b)** loss of sales or business;
- (c)** loss of agreements or contracts;
- (d)** loss of anticipated savings;
- (e)** loss of use or corruption of software, data or information;
- (f)** loss of or damage to goodwill; and
- (g)** indirect or consequential loss.

**8.6** This clause 8 shall survive termination of the Contract.

## 9. TERMINATION

**9.1** Without limiting its other rights or remedies, Abtech Safety Ltd may terminate this Contract with immediate effect by giving written notice to the Customer if:

- (a)** the Customer commits a material breach of any term of the Contract and (if such a breach is remediable) fails to remedy that breach within 10 days of that party being notified in writing to do so;
- (b)** the Customer takes any step or action in connection with its entering administration, provisional liquidation or any composition or arrangement with its creditors (other than in relation to a solvent restructuring), obtaining a moratorium, being wound up (whether voluntarily or by order of the court, unless for the purpose of a solvent restructuring), having a receiver appointed to any of its assets or ceasing to carry on business;
- (c)** the Customer suspends, threatens to suspend, ceases or threatens to cease to carry on all or a substantial part of its business; or
- (d)** the Customer’s financial position deteriorates so far as to reasonably justify the opinion that its ability to give effect to the terms of the Contract is in jeopardy.

**9.2** Without limiting its other rights or remedies, Abtech Safety Ltd may suspend provision of the Goods under the Contract or any other contract between the Customer and Abtech Safety Ltd if the Customer becomes subject to any of the events listed in clause 9.1(b) to clause 9.1(d), or Abtech Safety Ltd reasonably believes that the Customer is about to become subject to any of them, or if the Customer fails to pay any amount due under this Contract on the due date for payment.

**9.3** Without limiting its other rights or remedies, Abtech Safety Ltd may terminate the Contract with immediate effect by giving written notice to the Customer if the Customer fails to pay any amount due under the Contract on the due date for payment.

**9.4** On termination of the Contract for any reason the Customer shall immediately pay to Abtech Safety Ltd all of Abtech Safety Ltd’s outstanding unpaid invoices and interest and, in respect of Goods supplied but for which no invoice has been submitted, Abtech Safety Ltd shall submit an invoice, which shall be payable by the Customer immediately on receipt.

**9.5** Termination or expiry of the Contract, however arising, shall not affect any of the parties’ rights and remedies that have accrued as at termination or expiry, including the right to claim damages in respect of any breach of the Contract which existed at or before the date of termination or expiry.

**9.6** Any provision of the Contract that expressly or by implication is intended to come into or continue in force on or after termination or expiry of the Contract shall remain in full force and effect.



10. FORCE MAJEURE

Neither party shall be in breach of the Contract or otherwise liable for any failure or delay in the performance of its obligations if such delay or failure results from a Force Majeure Event. The time for performance of such obligations shall be extended accordingly. If the period of delay or non-performance continues for two months, the party not affected may terminate the Contract by giving 30 days’ written notice to the affected party.

11. GENERAL

11.1 Assignment and other dealings.

(a) Abtech Safety Ltd may at any time assign, transfer, mortgage, charge, subcontract, delegate, declare a trust over or deal in any other manner with all or any of its rights or obligations under the Contract.  
(b) The Customer may not assign, transfer, mortgage, charge, subcontract, delegate, declare a trust over or deal in any other manner with any or all of its rights or obligations under the Contract without the prior written consent of Abtech Safety Ltd.

11.2 Entire agreement.

(a) The Contract constitutes the entire agreement between the parties.  
(b) Each party acknowledges that in entering into the Contract it does not rely on any statement, representation, assurance or warranty (whether made innocently or negligently) that is not set out in the Contract. Each party agrees that it shall have no claim for innocent or negligent misrepresentation or negligent misstatement based on any statement in the Contract.

11.3 Variation.

No variation of this Contract shall be effective unless it is in writing and signed by the parties (or their authorised representatives).

11.4 Waiver.

(a) A waiver of any right or remedy is only effective if given in writing and shall not be deemed a waiver of any subsequent right or remedy.  
(b) A delay or failure to exercise, or the single or partial exercise of, any right or remedy shall not waive that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy.  
11.5 Severance.

If any provision or part-provision of the Contract is or becomes invalid, illegal or unenforceable, it shall be deemed deleted, but that shall not affect the validity and enforceability of the rest of the Contract. If any provision of the Contract is deemed deleted under this clause 11.5 the parties shall negotiate in good faith to agree a replacement provision that, to the greatest extent possible, achieves the intended commercial result of the original provision.

11.6 Notices.

(a) Any notice or other communication given to a party under or in connection with the Contract shall be in writing and shall be delivered by hand or by pre-paid firstclass post or other next working day delivery service at its registered office (if a company) or its principal place of business (in any other case).  
(b) Any notice shall be deemed to have been received  
(i) if delivered by hand, at the time the notice is left at the proper address; and  
(ii) if sent by pre-paid first-class post or other next working day delivery service, at 9:00 am on the two Business Day after posting.

(c) This clause does not apply to the service of any proceedings or other documents in any legal action or, where applicable, any arbitration or other method of dispute resolution.

11.7 Third party rights.

The Contract does not give rise to any rights under the Contracts (Rights of Third Parties) Act 1999 to enforce any term of the Contract.

11.8 Governing law.

The Contract, and any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with it or its subject matter or formation, shall be governed by and construed in accordance with the law of England and Wales.

11.9 Jurisdiction. Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim (including noncontractual disputes or claims) arising out of or in connection with the Contract or its subject matter or formation.

PRODUCT INDEX

Code	Product	Page	Code	Product	Page
1118	CRESTO Fusion Active	52	1503H	CRESTO Core Single Edge Rope Fall Arrest Lanyard with Hook	30
1118	CRESTO Fusion Active Harness	53	1504H	CRESTO Core Twin Edge Rope Fall Arrest Lanyard with Hooks	30
1123	CRESTO Worker Pro Harness	51	1505H	CRESTO Core Single Fall Arrest Lanyard with Hook	29
1136	CRESTO Energy Pro Harness	51	1507H	CRESTO Core Single-Flex Fall Arrest Lanyard with Hook	29
1137	CRESTO Fusion Active + Wind Harness	52	1508H	CRESTO Core Twin-Flex Fall Arrest Lanyard with Hooks	29
1138	CRESTO Fusion Pro Wind Harness	52	2342-1.5	CRESTO Simo S Work Positioning Lanyard (1.5m)	67
1151	CRESTO Core Base Single Point Harness	51	2342-2	CRESTO Simo S Work Positioning Lanyard (2m)	67
1154	CRESTO Core Active Two Point Harness	51	2342-5	CRESTO Simo S Work Positioning Lanyard (5m)	67
1505	CRESTO Core Single Fall Arrest Lanyard (Soft Loop)	29	30029KIT	Adjustable Barrel Mount Davit Kit	48
30019	Davit Base Sleeve Cap	44	30036KIT	Barrel Mount Davit Kit (57mm )	48
30021	Flush Floor Mount Base (Existing Concrete)	43	30040KIT	Pole Hoist Davit Kit	49
30023	Flush Floor Mount Base (Fresh Concrete)	43	30070KIT	4-Piece Base Davit Kit	48
30029	Adjustable Davit Barrel Mount	45	30073KIT	Counterweight Davit Kit	48
30031	Davit Floor Mount	43	30093KIT	Vehicle Hitch Mount Davit Kit	49
30032	4-Point Davit Wall Mount Base	43	30161KIT	Barrel Mount Davit Kit (127mm )	49
30036	Fixed Davit Barrel Mount (57mm)	45	30166KIT	Barrel Mount Davit Kit (181mm )	49
30073	Pro-3 Counterweight Davit Base	44	30234/235	Horizontal Entry Davit System (Post and Arm)	47
30104	Pro-3 Upper Davit Arm (Small)	42	30321/235	Horizontal Entry Davit System (Clamp and Arm)	47
30105	Pro-3 Upper Davit Arm (Large)	42	60176/2	AB15RT to Davit Bracket	46
30108	Pro-3 Lower Davit Arm (Small)	42	90115-BSH	Chokestrap Pole Choker	67
30109	Pro-3 Lower Davit Arm (Large)	42	90115-SP	Chokestrap Pole Choker	68
30161	Fixed Davit Barrel Mount (127mm)	45	90115-WPS	Chokestrap Pole Choker	68
30166	Fixed Davit Barrel Mount (181mm)	45	AB15RT	TORQ Fall Arrest Winch (15m)	28
30557	Analog One-Piece Davit System	47	AB15T	TORQ Retractable Fall Arrester (15m)	25
50048	Analog One-Piece Davit System with Adjustable Cable Offset	47	AB30RT	TORQ Max Fall Arrest Winch (30m)	28
60005	TUFF Personnel Winch (30m)	32	AB30T	TORQ Retractable Fall Arrester (30m)	25
60011	TUFF Personnel Winch (45m )	32	ABBAG	Abtech Safety Kit Bag	81
60209	Davit Bracket	46	ABBC	Bosuns Chair	54
60257	TUFF Materials Winch (30m)	32	ABLSS	Leg Suspension Strop	54
60294	Analog Davit Bracket	46	ABNAP	Rescue Nappy	54
264680117	Tool Tether Set with Ropes	71	ABR05	Nylon Rope with Plastic Eyes (5m)	60
264901309	Wrist Strap with Swivel Snap Hook	71	ABR10	Nylon Rope with Plastic Eyes (10m)	60
276860103	Elastic Tool Lanyard with Karabiners	71	ABR15	Nylon Rope with Plastic Eyes (15m)	60
276870102	Elastic Tool Lanyard with Loop & Karabiner	71	ABR20	Nylon Rope with Plastic Eyes (20m)	60
292650108	Tool Holder with D Ring	71	ABRALF	Two-Way Locking Rescue System (15m)	57
301153607	Spiral Wire - Three Set Kit	71	ABRAT-2M	Rope Rat Work Positioning Lanyard (2m)	68
8110222100	RESQ Solo X Wind	56	ABRL03W	TORQ Lite Webbing Fall Arrester (3m)	26
012230117	RESQ Smartline X (15m)	56	ABRL06	TORQ Lite Wire Fall Arrester (6m)	24
012230118	RESQ Smartline X (25m)	56	ABRL06W	TORQ Lite Webbing Fall Arrester (6m)	26
012230132	RESQ Smartline X Ultra Vacuum	56	ABRL10	TORQ Lite Wire Fall Arrester (10m)	24
012260212	CRESTO ToolPro Bag	82	ABRL20	TORQ Lite Wire Fall Arrester (20m )	24
012260213	CRESTO Tool Bucket	82	ABRSTADJ	Adjustable Restraint Lanyard	67
01226022	CRESTO Bolt Bag (L)	82	ABSS/407	Adjustable Stretcher Positioning Strops	38
012260222	CRESTO Bolt Bag (S)	82	ABTL20-2	20m Horizontal Fall Arrest System	79
012260242	CRESTO Rope Bag (M)	65	ALKO	Tripod Leg Clamp	21
012260243	CRESTO Rope Bag (L)	65	APK1	Working At Height Harness Kit 4	53
012260244	CRESTO Rope Bag (XL)	65	ASC-ST001	CRESTO Work Seat	54
012263105	CRESTO Crown Electro Helmet	83	BSPER+SB-A	Personal Plus Safety Belt	54
1.75CR	Minishock Cut Resistant Fall Arrest Lanyard	30	C842	Rescue Screwgate	74
1136WIND	CRESTO Energy Pro Wind Harness	51	CONT	Container Safe Kit	78
1154R	CRESTO Core Active Rescue Harness	51	CRP70	Canvas Rope Protector	65
120POLECAT	Polecat Pole Choker	68			







**Train better.  
Reduce risk.  
Save lives.**

## **OUTREACH RESCUE**

Abtech Safety and Outreach Rescue are part of CRESTO ALLIANCE – a global network of companies providing safety and rescue solutions.

Since 1988, Outreach Rescue has been a trusted leader in rescue and safety training, helping individuals and teams navigate the challenges of high-risk work environments.

[www.outreachrescue.com](http://www.outreachrescue.com)











Unit 38, Drive B  
First Avenue  
Deeside Industrial Estate  
Flintshire, CH5 2NU  
United Kingdom

E: [sales@abtechsafety.com](mailto:sales@abtechsafety.com)  
T: +44 (0) 1244 837 050  
W: [www.abtechsafety.com](http://www.abtechsafety.com)